




Volume 27 • Issue 2
Special Issue
April 2019

Mass Spectrometry for Clinical Diagnosis

Mass spectrometry has been applied in many biomedical researches including proteomics, metabolomics, cancer markers, microorganism diagnosis, and new born screening. To facilitate further development of mass spectrometry for clinical medicine, the Journal of Food and Drug Analysis (JFDA) published a special issue entitled “Mass Spectrometry for Clinical Diagnosis” in 2019. The objective of the special issue is to introduce recent advances of preclinical and clinical researches as well as regulatory perspectives by using modern mass spectrometry.

	<p style="text-align: center;">II. ELDI/MS analysis</p>  <p style="text-align: center;">III. Compound identification</p> <p style="text-align: center;"><i>The entire analytical processes were completed less than 30 seconds.</i></p>	
1	<u>Analytical methods for cholesterol quantification</u>	375-386
2	<u>Development of biomarkers of genitourinary cancer using mass spectrometry-based clinical proteomics</u>	387-403
3	<u>Current status of MALDI-TOF mass spectrometry in clinical microbiology</u>	404-414
4	<u>Rapid identification of herbal toxins using electrospray laser desorption ionization mass spectrometry for emergency care</u>	415-427
5	<u>Rapid detection and quantitation of drugs-of-abuse by wooden-tip electrospray ionization mass spectrometry</u>	428-438
6	<u>Using ambient mass spectrometry and LC-MS/MS for the rapid detection and identification of multiple illicit street drugs</u>	439-450
7	<u>Direct and rapid characterization of illicit drugs in adulterated samples using thermal desorption electrospray ionization mass spectrometry</u>	451-459
8	<u>Targeting amine- and phenol-containing metabolites in urine by dansylation isotope labeling and liquid chromatography mass spectrometry for evaluation of bladder cancer biomarkers</u>	460-474
9	<u>Method development of immunoglobulin G purification from micro-volumes of human serum for untargeted and targeted proteomics-based antibody</u>	475-482

	<u>repertoire studies</u>	
10	<u>Glycoproteomic identification of novel plasma biomarkers for oral cancer</u>	483-493
11	<u>Using gas chromatography and mass spectrometry to determine 25-hydroxyvitamin D levels for clinical assessment of vitamin D deficiency</u>	494-501
12	<u>Measuring serum total and free indoxyl sulfate and p-cresyl sulfate in chronic kidney disease using UPLC-MS/MS</u>	502-509
13	<u>Quantitation of serum 25(OH)D2 and 25(OH)D3 concentrations by liquid chromatography tandem mass spectrometry in patients with diabetes mellitus</u>	510-517
14	<u>Detection of BPDE-DNA adducts in human umbilical cord blood by LC-MS/MS analysis</u>	518-525
15	<u>Stability of glyoxal- and methylglyoxal-modified hemoglobin on dried blood spot cards as analyzed by nanoflow liquid chromatography tandem mass spectrometry</u>	526-530
16	<u>Complete mapping of disulfide linkages for etanercept products by multi-enzyme digestion coupled with LC-MS/MS using multi-fragmentations including CID and ETD</u>	531-541
17	<u>PON-1 carbamylation is enhanced in HDL of uremia patients</u>	542-550
18	<u>Reduction of aluminum ion neurotoxicity through a small peptide application - NAP treatment of Alzheimer's disease</u>	551-564
19	<u>Chemical isotope labeling liquid chromatography mass spectrometry for investigating acute dietary effects of cow milk consumption on human urine metabolome</u>	565-574
20	<u>Identification of bacteria in juice/lettuce using magnetic nanoparticles and selected reaction monitoring mass spectrometry</u>	575-584
21	<u>Exposure marker discovery of di-2(propylheptyl) phthalate using ultra-performance liquid</u>	585-594

	<u>chromatography-mass spectrometry and a rat model</u>	
22	<u>Analysis of heterocyclic amines in meat products by liquid chromatography - Tandem mass spectrometry</u>	595-602
23	<u>Utilizing proteomic approach to identify nuclear translocation related serine kinase phosphorylation site of GNMT as downstream effector for benzo[a]pyrene</u>	603-609
24	<u>Blotting paper as a disposable tool for sampling chemical residues from skin surface</u>	610-613